

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
10/774,404	02/10/2004	Jin-gyo Seo	1293.1076-DC 9836			
49455	7590 05/09/2006		EXAMINER			
STEIN, MCEWEN & BUI, LLP			BATTAGLIA, MICHAEL V			
1400 EYE STREET, NW SUITE 300 WASHINGTON, DC 20005			ART UNIT	PAPER NUMBER		
			2627			
			DATE MAILED: 05/09/2000	DATE MAILED: 05/09/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

			Application No.		Applicant(s)			
Office Action Summary		10/774,404		SEO ET AL.				
		Examiner		Art Unit				
		Michael V. Bat	aglia	2627				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).								
Status								
1)	Responsive to communication(s) filed on 21	1 February 2006.						
′=	•	This action is non-final.						
3) 🔲	Since this application is in condition for allow	nce this application is in condition for allowance except for formal matters, prosecution as to the merits is						
•	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
4)🖂	Claim(s) 1-18 is/are pending in the applicati	ion.						
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	5) Claim(s) is/are allowed.							
6)⊠	6)⊠ Claim(s) <u>1-18</u> is/are rejected.							
7)	7) Claim(s) is/are objected to.							
8)□	8) Claim(s) are subject to restriction and/or election requirement.							
Applicati	on Papers							
9) 🗌	The specification is objected to by the Exam	iner.						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.								
Priority u	ınder 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>								
2)  Notic 3) Inform	t(s) e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/ r No(s)/Mail Date	4) [ /08) 5) [ 6) [	Interview Summary Paper No(s)/Mail Da Notice of Informal Pa Other:	ite	O-152)			

Application/Control Number: 10/774,404 Page 2

Art Unit: 2627

### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on January 17, 2006 has been entered.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-18 are rejected under 35 U.S.C. 102(b) as being anticipated by Fitzpatrick et al (hereafter Fitzpatrick) (US 5,757,735).

In regard to claim 1, Fitzpatrick discloses an adaptive writing method of writing input data on an optical recording medium (Fig. 6, element 670 and see Response to Arguments below) using a write pulse waveform ("laser control codes" of Col. 5, lines 55 and Col. 7, lines 28) including a first pulse, a last pulse and a multi-pulse train (Tables 1 and 2 of Cols. 8-9, particularly the laser control codes for 6T-8T mark lengths, and note that each consecutive series of 1's is a pulse (Col. 5, lines 60-65)), comprising: controlling the write pulse waveform based on a grouping table (Fig. 3, elements 340a and 340b) to generate an adaptive write pulse waveform (Fig. 6, "Pulses" and Col. 9, lines 26-29 and 53-56), the grouping table storing width data of the first and/or last pulses of the write pulse waveform (number of consecutive 1's for the

Art Unit: 2627

varying according to corresponding stored values of lengths of marks to be written (the width data in Tables 1 and 2 of Cols. 8-9 of the first and/or last pulses of the write pulse waveform vary as the length of the mark to be written progresses from 2T to 8T); and optically writing the input data on the optical recording medium using the adaptive write pulse waveform (Fig. 6 and Col. 5, lines 53-58 and see Response to Arguments below), wherein the generated adaptive write pulse waveform is generated without regard for a trailing space of a present mark being written using the adaptive write pulse waveform (Col. 9, lines 24-56). It is noted that Fig. 4 shows the widths of the first and last pulses of the write pulse waveform varied to adapt to the presence or lack of residual heat (Col. 8, lines 20-26 and Col. 11, lines 13-21) and the write pulse waveform output by element 620 of Fig. 6 is therefore an adaptive write pulse waveform.

In regard to claim 3, Fitzpatrick discloses an adaptive writing method of writing input data on an optical recording medium (Fig. 6, element 670 and see Response to Arguments below) using a write pulse waveform ("laser control codes" of Col. 5, lines 55 and Col. 7, lines 28) including a first pulse, a last pulse and a multi-pulse train (Tables 1 and 2 of Cols. 8-9, particularly the laser control codes for 6T-8T mark lengths, and note that each consecutive series of 1's is a pulse (Col. 5, lines 60-65)), comprising: controlling the write pulse waveform based on a grouping table (Fig. 3, elements 340a and 340b) having width data grouped in pulse groups (each "laser control code" of Tables 1 and 2 of Cols. 8-9 is a pulse group) which group the first and/or last pulses of the write pulse waveform by corresponding lengths of a present mark (lengths 2T-8T of Tables 1 and 2 of Cols. 8-9) of input data and a leading space ("last written space" of Col. 9, lines 38-51) of the present mark to generate an adaptive write pulse waveform (Fig. 6, "Pulses" and Col. 9, lines 26-29

Application/Control Number: 10/774,404

Art Unit: 2627

and 53-56); and optically writing the input data on the optical recording medium using the adaptive write pulse waveform (Fig. 6 and Col. 5, lines 53-58 and see Response to Arguments below). It is noted that Fig. 4 shows the widths of the first and last pulses of the write pulse waveform varied to adapt to the presence or lack of residual heat (Col. 8, lines 20-26 and Col. 11, lines 13-21) and the write pulse waveform output by element 620 of Fig. 6 is therefore an adaptive write pulse waveform.

In regard to claim 4, Fitzpatrick discloses an adaptive writing method of writing input data on an optical recording medium (Fig. 6, element 670 and see Response to Arguments below) using a write pulse waveform ("laser control codes" of Col. 5, lines 55 and Col. 7, lines 28) including a first pulse, a last pulse and a multi-pulse train (Tables 1 and 2 of Cols. 8-9, particularly the laser control codes for 6T-8T mark lengths, and note that each consecutive series of 1's is a pulse (Col. 5, lines 60-65)), comprising: controlling the write pulse waveform based on a grouping table (Fig. 3, elements 340a and 340b) to generate an adaptive write pulse waveform (Fig. 6, "Pulses" and Col. 9, lines 26-29 and 53-56), the grouping table storing width data of the first and/or last pulses of the write pulse waveform (number of consecutive 1's for the first and last pulses of the write pulse waveform determines width of first and last pulses) grouped in corresponding pulse groups (each "laser control code" of Tables 1 and 2 of Cols. 8-9 is a pulse group) according to lengths of marks to be written (lengths 2T-8T of Tables 1 and 2 of Cols. 8-9) and/or lengths of spaces ("last written space" of Col. 9, lines 38-51) adjacent to the marks to be written; and optically writing the input data on the optical recording medium using the adaptive write pulse waveform (Fig. 6 and Col. 5, lines 53-58 and see Response to Arguments below). It is noted that Fig. 4 shows the widths of the first and last pulses of the

Art Unit: 2627

write pulse waveform varied to adapt to the presence or lack of residual heat (Col. 8, lines 20-26 and Col. 11, lines 13-21) and the write pulse waveform output by element 620 of Fig. 6 is therefore an adaptive write pulse waveform.

Claims 2 and 5-18 are rejected on the same grounds as in the final rejection mailed October 19, 2005.

## Response to Arguments

3. Applicant's arguments filed January 17, 2006 with respect to claims 1-18 have been fully considered but they are not persuasive. Applicant argues that the claimed "optically writing the input data on the optical recording medium" does not read on Fitzpatrick's magneto-optically writing the input data on the magneto-optical (MO) medium. However, the claim limitations to not patentably distinguish the claimed invention from the prior art of Fitzpatrick because an MO recording medium is a type of "optical recording medium" and MO writing is a type of "optical[] writing." MO is to optical as a square is to a rectangle (see Maeda et al (US 5,633,844) (Col. 1, lines 48-58), Tominaga et al (US 5,569,517) (Col. 1, lines 9-14), and Hajjar et al (US 5,696,752) (Col. 4, lines 48-52)).

While it is true that the laser source of Fitzpatrick (Fig. 6, element 640) performs writing by supplying a pulsed laser beam, which has been modulated in accordance with the input data, to the recoding medium in conjunction with an appropriate magnetic field supplied by the permanent magnet (Fig. 6, element 680) (Col. 5, lines 51-64 and Col. 6, lines 11-20), the writing of Fitzpatrick is optical writing simply because the laser source of Fitzpatrick performs writing by supplying a pulsed laser beam, which has been modulated in accordance with the input data, to the recoding medium (Fig. 6 and Col. 5, lines 51-64).

Art Unit: 2627

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael V. Battaglia whose telephone number is (571) 272-7568. The examiner can normally be reached on M-F, 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William R. Korzuch can be reached on (571) 272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Michael Battaglia

Wichel Battagles

THANG V.TRAN